Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(trust\$3 with lock\$1) and authoriz\$6 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 12:53
L2		("trusted lock\$1") and authoriz\$6 and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 12:53
L3		("trusted lock") and authoriz\$6 and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 12:53
L4	2	("trusted lock") and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ·	2006/11/15 13:15
L5	3873	(stor\$3 with instructi\$3 with server\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:16
L6	237	(devices with stor\$3 with instructi\$3 with server\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:16
L7	22	((devices with stor\$3 with instructi\$3 with server\$1)).ab. and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:17
L8		((devices with stor\$3 adj2 instructi\$3 with server\$1)).ab. and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:19

L9		((devices with stor\$3 adj2 instructi\$3 with server\$1) with "smaller")and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:20
L10	0	((devices with stor\$3 adj2 instructi\$3 with server\$1) same "smaller")and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:20
L11	67	((devices with stor\$3 adj2 instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:21
L12	14	((devices with stor\$3 adj1 instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/11/15 13:24
L13		((devices with stor\$3 with follow\$3 adj1 instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/15 13:24
L14	7	((stor\$3 with follow\$3 adj1 instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:26
L15	339	((stor\$3 adj1 instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:49
L16	3873	((stor\$3 with instructi\$3 with server\$1))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:28

L17	21009996	((stor\$3 with instructi\$3 with server\$1))".ab.and"	US-PGPUB; USPAT;	OR	ON	2006/11/15 13:28
		@ad<="20010629"	USOCR; EPO; JPO; DERWENT; IBM_TDB			
L18	645	((stor\$3 with instructi\$3 with server\$1)) .ab. and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:37
L19	2	("20010027527").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 13:37
L20	0	(record\$3 with authorizaion\$1 with (time date))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/15 13:50
L21	668	(record\$3 with authoriz\$6 with (time date))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:50
L22	20	audit with (record\$3 with authoriz\$6 with (time date))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 14:04
L23	1	audit with (record\$3 near2 authoriz\$6 with (time date))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:53
L24		audit same (record\$3 near2 authoriz\$6 with (time date))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 13:58

		LAST Searc		8		
L25	2	("20030208598").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 13:58
L26	23	(server with stor\$4 with (encrypted near1 format))and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 14:05
S1	41	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:04
S2	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (client with decrypt\$43 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:04
S3	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (user with decrypt\$43 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:04
S4		(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (user with decrypt\$43 near1 message) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:04
S5	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (user with decrypt\$43) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:05
S6	12	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (user with decrypt\$3 near1 message\$1) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:07
S7	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (user with transmit\$3 near1 decrypt\$3 near1 message\$1) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:07
S8	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (transmit\$3 near1 decrypt\$3 near1 message\$1) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:07
S9	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (send\$3 near1 decrypt\$3 near1 message\$1) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:08

				•		
S10	0	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (send\$3 near1 decrypt\$3 near1 data\$1) and @ad<="20010629"	USPAT .	OR	OFF	2005/08/12 17:08
S11	4	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3) and (send\$3 with decrypt\$3 near1 data\$1) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:10
S12	1324	(authenticat\$3 or auhorizat\$4) and (proxy with send decrypt\$3 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:11
S13	0	(authenticat\$3 or auhorizat\$4) and (proxy with send near2 decrypt\$3 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:11
S14	13323	(authenticat\$3 or auhorizat\$4) and (proxy with send near2 decrypt\$3with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:11
S15	0	(authenticat\$3 or auhorizat\$4) and (proxy with send near2 decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:11
S16	1	(authenticat\$3 or auhorizat\$4) and (proxy with send\$3 near2 decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:24
S17	3689	(authenticat\$3 or auhorizat\$4) and (proxy decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:24
S18	20	(authenticat\$3 or auhorizat\$4) and (proxy with decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:26
S19	11	(authenticat\$3 or auhorizat\$4) near1 server and (proxy with decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:39
S20	88	(authenticat\$3 or auhorizat\$4) near1 server and (server with decrypt\$3 with data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:42
S21	81	(authenticat\$3 or auhorizat\$4) near1 server and (server with decrypt\$3 with data and send\$3) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:55
S22	0	(authenticat\$3 or auhorizat\$4) near1 server and (server with decrypt\$3 near1 format with send\$3) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:56

S23	0	(authenticat\$3 or auhorizat\$4) near1 server and (server with decrypt\$3 near1 format) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:56
S24	1053	(authenticat\$3 or auhorizat\$4) near1 server and (server decrypt\$3 near43 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 17:56
S25	16	(authenticat\$3 or auhorizat\$4) near1 server and (server near1 decrypt\$3 near43 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:02
S26	0	(download\$1 with unencrypt\$3 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:03
S27	0	(download\$1 with un-encrypt\$3 near1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:03
S28	1309394	(download\$1 with un-encrypt\$3 near\$1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:03
S29	1309394	(download\$1 with un near1 encrypt\$3 near\$1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:04
S30	1309891	(download\$1 with un near\$1 encrypt\$3 near\$1 data) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:04
S31	11	(download\$1 with unencrypt\$3) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:12
S32	0	(download\$1 with unencrypt\$3) and (authenticat\$3 near1 server) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:13
S33	1	(download\$1 same unencrypt\$3) and (authenticat\$3 near1 server) and @ad<="20010629"	USPAT	OR	OFF	2005/08/12 18:16
S34	1	("6917923").PN.	USPAT; USOCR	OR	OFF	2005/08/12 18:17
S35	. 1	("6873966").PN.	USPAT; USOCR	OR	OFF	2005/08/12 18:26
S36	1	("6226749").PN.	USPAT; USOCR	OR	OFF	2005/08/12 18:26
S37	1	("6598023").PN.	USPAT; USOCR	OR	OFF	2005/08/12 18:26

S38	0	("right\$1andauthoriz\$5and(auditwit htrail)and@ad<=20010629").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 11:07
S39	38415965	right\$1 and authoriz\$5 and (audit with trail) and@ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:07
S40	864	right\$1 and authoriz\$5 and (audit with trail) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:08
541	546	right\$1 and authoriz\$5 and (audit with trail) and download\$3 and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:09
S42	0	right\$1 and authoriz\$5 and (audit with trail) and download\$3 and wireless and "always on" and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:09
S43	304	right\$1 and authoriz\$5 and (audit with trail) and download\$3 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:09
S44	0	right\$1 and authoriz\$5 and (audit with trail) and download\$3 and wireless and "always on" and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:09
S45 .	0	right\$1 and authoriz\$5 and (audit with trail) and download\$3 and wireless and ("always on" "always-on") and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:10

S46	0	(right\$1 and authoriz\$5 and (audit	US-PGPUB;	OR	ON	2006/11/15 11:10
		with trail) and download\$3 and wireless).ab. and @ad<="20010629"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S47	75	(right\$1 and authoriz\$5 and (audit with trail) and (download\$3 with (music video films)) and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:12
S48	0	(right\$1 and authoriz\$5 and (audit with trail with timestamp) and (download\$3 with (music video films)) and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:12
S49	0	(right\$1 and authoriz\$5 and (audit with trail with timestamp) and (download\$3 and (music video films)) and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:12
S50	0	(right\$1 and authoriz\$5 and (audit with trail with "time stamped") and (download\$3 and (music video films)) and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:13
S51	10	(right\$1 and authoriz\$5 and (audit with trail with "time stamped" "timestamped") and (download\$3 and (music video films)) and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:17
S52	70	(right\$1 and authoriz\$5 and (audit with trail with "time stamped" "timestamped") and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:18
S53	70	(right\$1 and authoriz\$5 and ("audit trail" with "time stamped" "timestamped") and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:19

S54	70	(right\$1 and authoriz\$5 and ((audit near2 trail) with "time stamped" "timestamped") and wireless) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/15 11:21
S55	158	((audit near2 trail) with "time stamped" "timestamped") and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:21
S56	84	authoriz\$6 and ((audit near2 trail) with "time stamped" "timestamped") and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:23
S57	83	authoriz\$6 and ((audit near2 trail) with "time stamped" "timestamped") and (identifications "id" "identities" identi\$5) and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:30
S58	19	authoriz\$6 and ((audit near2 trail) with "time stamped" "timestamped") and (identifications "id" "identities" identi\$5) and download\$3 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/15 11:35
S59	129317	authoriz\$6 and ((audit near2 trail) with "time stamped" "timestamped") and (identifications "id" "identities" identi\$5) wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:35
S60	83	authoriz\$6 and ((audit) with "time stamped" "timestamped") and (identifications "id" "identities" identi\$5) and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:36
S61	83	((audit) with "time stamped" "timestamped") and (identifications "id" "identities" identi\$5) and authoriz\$6 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:36

S62	2	((audit) with ("time stamped" "timestamped")) and (identifications "id" "identities" identi\$5) and authoriz\$6 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 11:37
S63	7	((audit) same ("time stamped" "timestamped")) and (identifications "id" "identities" identi\$5) and authoriz\$6 and wireless and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/15 12:51